









Dagger



CREEKING Experience the stunning, remote locations thought to exist only in pictures. Not just for kayaning daredevils, creeking is perfect for any explorer who wants to do more than test the waters. From Experience the stunning, remote locations thought to exist only in pictures. Not just for kayaking the multi-day expedition to Class V rapids and waterfall hucking, Dagger is the industry standard for those never satisfied with standing still.



NOMAD 8.1

Trusted as the world's ultimate creeker, the Nomad is the kayak of choice by both record holders and high-five fanatics.

Length: 8' 1" / 246 cm

Paddler Weight Range: 110-190 lbs / 50-86 kg Boat Weight: 47 lbs / 21 kg Outfitting: Contour Ergo System Back Band: Ratchet Adjustable Back Band Structure: Safety Step Out Wall Seating: Tank Style Roto Molded Seating w/ Leg Lifter Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles





NOMAD 8.5

The Nomad 8.5 offers speed, easy rolling, the ability to turn on a dime, and high volume performance for larger-sized enthusiasts.

Length: 8' 5" / 257 cm

Paddler Weight Range: 150-240 lbs / 68-109 kg Boat Weight: 50 lbs / 23 kg Outfitting: Contour Ergo System Back Band: Ratchet Adjustable Back Band Structure: Safety Step Out Wall Seating: Tank Style Roto Molded Seating w/ Leg Lifter Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles





MAMBA 7.6 CREEKER

Easy to edge, stable and even a little playful, the 7.6 Creeker is for youths or smaller paddlers wanting to learn the ropes or push their skills to the next level.

Length: 7'7" / 231 cm

Paddler Weight Range: 120-170 lbs / 54-77 kg Boat Weight: 44 lbs / 20 kg Outfitting: Contour Ergo System Back Band: Ratchet Adjustable Back Band Structure: Safety Step Out Wall Seating: Tank Style Roto Molded Seating w/ Leg Lifter Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles





MAMBA 8.1 CREEKER

The rocker breaks and profile of the Mamba 8.1 have been tested and engineered for speed and crisp carving while maintaining the series' hallmark predictability.

Length: 8' 1" / 246 cm Paddler Weight Range: 150-220 lbs / 68-100 kg Boat Weight: 47 lbs / 21 kg Outfitting: Contour Ergo System Back Band: Ratchet Adjustable Back Band Structure: Safety Step Out Wall Seating: Tank Style Roto Molded Seating w/ Leg Lifter Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles





The Mamba 8.6 Creeker offers ample volume for large paddlers, tackling big water and creeks with the forgiving performance you expect from this revered series.

Length: 8' 6" / 259 cm Paddler Weight Range: 175-260 lbs / 79-118 kg Boat Weight: 52 lbs / 24 kg Outfitting: Contour Ergo System Back Band: Ratchet Adjustable Back Band Structure: Safety Step Out Wall Seating: Tank Style Roto Molded Seating w/ Leg Lifter Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles



LONG BOAT When the crowd cheers, it's you they're cheering for. You're built FREESTYLE There was a time when surfing and pulling tricks was for the experts. But today, innovative freesty designs have opened the thrilling experience that is park, play, and owning the wave to anyone.

for speed and a technical finesse where every performance is Whether you're in to surfing and spinning on your way down river or defying gravity with massive air moves in competitions, Dagger an art form. Make your stage a Dagger long boat.

THE GREEN BOAT

Maneuverable with boofing ability fit to blast your favorite local creek, medal-winning speed and cruising comfort, the Green Boat offers a completely unique paddling experience.

Length: 11' 9" / 358 cm

Paddler Weight Range: 140-260 lbs / 64-118 kg Boat Weight: 55 lbs / 24 kg Outfitting: Contour Ergo System Back Band: Ratchet Adjustable Back Band Structure: Safety Step Out Wall Seating: Tank Style Roto Molded Seating w/ Leg Lifter Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles



NEW JITSU 5.5

invites all those who come to play.

While arguably the loosest freestyle hull on the market today, the Jitsu 5.5 maintains snappy edge-to-edge transition for smaller framed paddlers.

Length: 5' 6" / 168 cm Paddler Weight Range: 90-155 lbs / 41-70 kg Boat Weight: 29 lbs / 13 kg Outfitting: Contour Ergo System Seating: Roto Molded Seating W/ Leg Lifter Back Band: Ratchet Adjustable Back Band Structure: Welded-In Seat Track Foot Brace: Padded Foam Foot Brace System Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles





NEW JITSU 5.9

There was a time when surfing and pulling tricks was for the experts. But today, innovative freestyle

The Jitsu 5.9 excels at performing three dimensional combination moves in advancing hole play while creating a seamless blend of speed, looseness, and release on waves.

Length: 5' 9.5" / 178 cm Paddler Weight Range: 140-200 lbs / 64-91 kg Boat Weight: 31 lbs / 14 kg Outfitting: Contour Ergo System Seating: Roto Molded Seating W/ Leg Lifter Back Band: Ratchet Adjustable Back Band Structure: Welded-In Seat Track Foot Brace: Padded Foam Foot Brace System Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles




NEW JITSU 6.0

Out-performing competitor freestyle kayaks downriver, the Jitsu 6.0 is for larger paddlers who want to enjoy big waves, holes on river, and freestyle competition too.

Length: 6' 0" / 183 cm

Paddler Weight Range: 165-245 lbs / 75-111 kg Boat Weight: 34 lbs / 15 kg Outfitting: Contour Ergo System Seating: Roto Molded Seating W/ Leg Lifter Back Band: Ratchet Adjustable Back Band Structure: Welded-In Seat Track Foot Brace: Padded Foam Foot Brace System Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles







You're demanding. You want the total whitewater experience in one boat, in whatever form FREE RUNNING You're demanding. You want the total whitewater experience in one boat, in whatever form required of the given moment - the ability to cruise, run the river, or surf - and you want to do it well. Not everyone can pursue it all, but for those who can, they trust a Dagger to do it with them.



AXIOM 6.9

This river cruiser has turned heads and wowed the skeptics. With a small cockpit and performance fit, the Axiom 6.9 allows kids to also get in on the fun.

Length: 6' 9" / 206 cm

Paddler Weight Range: 65-120 lbs / 29-54 kg Boat Weight: 25 lbs / 11 kg Outfitting: Whitewater PFS 2.0 Seating: Thermoformed Kids Seat Back Band: Adjustable Back Band Foot Brace: Keepers Foot Brace System Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles Great For Kids





AXIOM 8.0

With smooth edge transitions and balanced volume distribution, this all-arounder offers small to mid-sized paddlers a dynamic surf and down river experience.

Length: 8' 0" / 244 cm

Paddler Weight Range: 90-150 lbs / 41-68 kg Boat Weight: 37 lbs / 17 kg Outfitting: Contour Ergo System Seating: Roto Molded Seating w/ Leg Lifter Back Band: Ratchet Adjustable Back Band Structure: Welded-In Seat Track Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles



AXIOM 8.5

This speedy river cruiser offers a dynamic surf and down river experience with ample volume and a performance fit for mid to large sized paddlers.

Length: 8' 6" / 259 cm Paddler Weight Range: 130-210 lbs / 59-95 kg Boat Weight: 42 lbs / 19 kg Outfitting: Contour Ergo System Seating: Roto Molded Seating w/ Leg Lifter Back Band: Ratchet Adjustable Back Band Structure: Welded-In Seat Track Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles




AXIOM 9.0

The Axiom 9.0 offers larger paddlers effortless wave catching, balanced volume distribution, 3D play move potential, ample foot room and comfortable knee position.

Length: 9' 0" / 274 cm

Paddler Weight Range: 180-265 lbs / 82-120 kg Boat Weight: 45 lbs / 20 kg Outfitting: Contour Ergo System Seating: Roto Molded Seating w/ Leg Lifter Back Band: Ratchet Adjustable Back Band Structure: Welded-In Seat Track Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Thigh Brace: Precision Adjustable Thigh Braces Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles







The thought of a 45-foot waterfall freak you out? You're not alone. That's why everyone from **RIVER RUNNING** The thought of a 45-foot waterfall freak you out? You're not alone. They're a perfect choice for instructors to experienced paddlers love our river running series. They're a perfect choice for the curious explorer to get started in whitewater, or for the veteran to take their game to the next level



MAMBA 7.6

The Mamba 7.6 is sized for youths or smaller paddlers and perfect for honing your skills, making the move beyond Class III, or for beginners seeking new adventures.

Length: 7' 7" / 231 cm

Paddler Weight Range: 120-170 lbs / 54-77 kg Boat Weight: 43 lbs / 20 kg Outfitting: Contour Ergo System Seating: Roto Molded Seating w/ Leg Lifter Back Band: Ratchet Adjustable Back Band Structure: Welded-In Seat Track Thigh Brace: Precision Adjustable Thigh Braces Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles





MAMBA 8.1

Experience the river running icon known for predictability and trusted by renowned instructors and Team Dagger paddlers as a versatile training machine.

Length: 8' 1" / 246 cm Paddler Weight Range: 150-220 lbs / 68-100 kg Boat Weight: 45 lbs / 20 kg Outfitting: Contour Ergo System Seating: Roto Molded Seating w/ Leg Lifter Back Band: Ratchet Adjustable Back Band Structure: Welded-In Seat Track Thigh Brace: Precision Adjustable Thigh Braces Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles



MAMBA 8.6

The big boy of this power house series offers crisp control and speed without sacrificing the serious volume demanded by larger paddlers.

Length: 8' 6" / 259 cm Paddler Weight Range: 175-260 lbs / 79-118 kg Boat Weight: 50 lbs / 23 kg Outfitting: Contour Ergo System Seating: Roto Molded Seating w/ Leg Lifter Back Band: Ratchet Adjustable Back Band Structure: Welded-In Seat Track Thigh Brace: Precision Adjustable Thigh Braces Foot Brace: Contour Adjustable Bulkhead w/ Foam Padding Hip Pads: Multi-Adjustable, Contoured Hip Pads Grab Handles: Security Grab Handles

Whether it's a mountain bike, a backpack loaded with gear or a **CROSSOVER WHITEWATER** Whether it's a mountain blke, a backpack loaded with gear or a kayak, there's always something riding on your roof. You love to experience all the thrills of the outdoors, and it's time to make the crossover into whitewater with Dagger. Experience the water the way you choose, from flatwater to rapids, with the brand that invented the crossover category.



APPROACH 9.0

The Approach 9.0 is a super versatile package for smaller framed paddlers who are ready for whitewater but might still like to cruise the flats occasionally.

Length: 9' 0" / 274 cm Width: 25.25" / 64 cm Boat Weight: 38 lbs / 17 kg Seating System: Padded Seat w/ Adjustable Back Band Thigh Brace: Adjustable Padded Thigh Braces Foot Brace: Keepers Foot Brace System Hatch: Stern Hatch Grab Handles: Comfort Carry Handles Bulkhead: Stern Bulkhead Skeg: TruTrak Adjustable Skeg System





APPROACH 10.0

The 10.0 offers a roomier cockpit and more length than the 9.0, maintaining maneuverability in Class II+ rapids with the ability to take on lakes and ponds too.

Length: 10' 0" / 305 cm Width: 28" / 71 cm Boat Weight: 44 lbs / 20 kg Seating System: Padded Seat w/ Adjustable Back Band Thigh Brace: Adjustable Padded Thigh Braces Foot Brace: Keepers Foot Brace System Hatch: Stern Hatch Grab Handles: Comfort Carry Handles Bulkhead: Stern Bulkhead Skeg: TruTrak Adjustable Skeg System



TORRENT 10.0

Get the excitement of up to Class III whitewater with the care-free ease of a sit-on-top kayak. Great for the nonpaddler friend who wants to tag along.

Length: 10' 1" / 307 cm Width: 30.5" / 77 cm Boat Weight: 48 lbs / 22 kg Seating System: Molded-In Seat Foot Brace: Keepers Foot Brace System Hatch: Center Storage w/ Deck Plate Grab Handles: Soft Touch Handles Accessory: Thigh Straps Structure: Self Bailing Scupper Holes









Outside the box? For you, there is no box. Your tastes for CROSSOVER MULTIWATER Outside the box? For you, there is no box. Your tastes for outdoor adventure change like the wind and you wouldn't want

ADVENTURE REC There's no better way to get out and enjoy the water than in an ultra-accessible Dagger recreational kayak. Pencil in a last-minute beach trip and experience more than just the towel. Or explore the lakes and waterways nearby in a way you never have before. Get your gear together, toss your Dagger on the roof and take a break from "usual."



AXIS 10.5

The Axis 10.5 offers unprecedented versatility for those who want to explore lakes and ponds and up to Class II whitewater too.

Length: 10' 6" / 320 cm Width: 28.5" / 72 cm Boat Weight: 50 lbs / 23 kg Seating System: CFS-R Seating System Structure: Hull Beam Thigh Brace: Zone Knee / Thigh Pad Foot Brace: Slidelock Foot Brace System Hatch: Stern Hatch Grab Handle: Soft Touch Handles Bulkhead: Stern Bulkhead Skeg: TruTrak Adjustable Skeg System



AXIS 12.0

Engineered to transition seamlessly from flat to moving water, the 12.0 boasts a roomy cockpit for larger paddlers and increased storage and speed over the 10.5.

Length: 12' 0" / 366 cm Width: 27.5" / 70 cm Boat Weight: 55 lbs / 25 kg Seating System: CFS-R Seating System Structure: Hull Beam Thigh Brace: Zone Knee / Thigh Pad Foot Brace: Slidelock Foot Brace System Hatch: Stern Hatch Grab Handle: Soft Touch Handles Bulkhead: Stern Bulkhead Skeg: TruTrak Adjustable Skeg System



ZYDECO 9.0

The Zydeco 9.0 is engineered for the adventures right in front of you and beyond, offering a comfortable, performance-minded experience in various environments.

Length: 9' 1" / 276 cm Width: 28.5" / 72 cm Boat Weight: 36.5 lbs / 17 kg Seating System: CFS-R Seating System Thigh Brace: Zone Knee / Thigh Pad Foot Brace: Slidelock Foot Brace System Grab Handle: Soft Touch Handles Accessory: Paddle Park Accessory: Bungee Deck Rigging





ZYDECO II.O

The 11.0 offers more speed, stability, and storage capacity than the 9.0 for day trips on flat and slowly moving water, gear-heavy hobbies or even an overnight trek.

Length: 11' 2" / 340 cm Width: 27.75" / 70 cm Boat Weight: 48 lbs / 22 kg Seating System: CFS-R Seating System Thigh Brace: Zone Knee / Thigh Pad Foot Brace: Slidelock Foot Brace System Hatch: Stern Hatch Grab Handle: Soft Touch Handles Bulkhead: Stern Bulkhead Accessory: Paddle Park Accessory: Bungee Deck Rigging





KAOS 10.2

A hull design ripped from the longboard surfing playbook, this quickly accelerating sit-on-top turns, carves, and rushes coastal breakers with confidence.

Length: 10' 2" / 314 cm Width: 26.5" / 67 cm Boat Weight: 43 lbs / 20 kg Outfitting: Molded-In Seat w/ Adjustable Back Band Foot Brace: Molded-In Footwells Hatches: Stern Storage w/ Deck Plate Grab Handles: Comfort Carry Handles Accessory: Surf Fins



PERFORMANCE TOURING A brand born in whitewater, Dagger carries aggressive performance inspiration from the mountains to the sea. For eyes seeking far off possibility, performance touring offers an exciting world of weekend adventures, shoreline exploration and flat water expeditions. For the control and assurance to meet the challenge, choose the kayak trusted to always go the distance.



ALCHEMY 14.0S

Performance and versatility from lakes to slow moving inland rivers, rock gardens or surf zones, the Alchemy is the adventurer's choice.

Length: 14' 0" / 427 cm Width: 23" / 58 cm Boat Weight: 51 lbs / 23 kg Outfitting: CFS Seating System Thigh Brace: Adjustable Padded Thigh Braces Foot Brace: SlideLock Foot Brace System Hatch: Bow, Center, & Stern Hatches Grab Handles: Soft Touch Handles Bulkhead: Bow, Midship, & Stern Bulkheads Skeg: TruTrak Premium Skeg System



ALCHEMY 14.0L

The 14.0L is stable and forgiving yet performanceengineered for exciting environments. Offers a larger cockpit, more foot room, and more storage capacity than the 14.0S.

Length: 14' 0" / 427 cm Width: 24" / 61 cm Boat Weight: 54 lbs / 25 kg Outfitting: CFS Seating System Thigh Brace: Adjustable Padded Thigh Braces Foot Brace: SlideLock Foot Brace System Hatch: Bow, Center, & Stern Hatches Grab Handles: Soft Touch Handles Bulkhead: Bow, Midship, & Stern Bulkheads Skeg: TruTrak Premium Skeg System







The intuitive PFS 2.0 system is streamlined for reduced weight and comfort. Multiple tool-less adjustments allow you to leave the wrenches and screwdrivers home. The PFS 2.0 system includes a ratchet adjustable back band, multi-adjustable hip pads, precision adjustable thigh braces, and security grab handles. * Axiom 6.9 model only

COMFORT FIT SYSTEM

The Comfort Fit System (CFS) combines the proven technical capabilities of whitewater outfitting with the comfort of a soft foam touring design. Now paddlers of all abilities can customize their kayak for a perfect fit based on their needs.

FEATURES INCLUDE:

- Large, ergonomic floating back band
- Quick release back band adjustment
- Soft foam seat padding
- Adjustable comfort control hip pads
- Patented SlideLock[™] foot braces
- Soft Touch handle
- Leg Lifter

COMFORT FIT SYSTEM- RECREATIONAL

Our CFS-R system is based on the performancedriven design of the famous CFS outfitting. It offers a height-adjustable back rest and leg lifter for versatility, along with a cockpit thigh pad that can be easily swapped out for an add-on thigh brace.

COMFORT FIT SYSTEM - RECREATION







COMFORT FIT SYSTEM





CONTOUR ERGO- CREEK VERSION



CONTOUR ERGO- PLAY VERSION

CONTOUR ERGO OUTFITTING

Dagger takes pride in our innovations - especially when our designs bring us all to a safer, more reliable position within the sport of kayaking. The Contour Ergo Outfitting System does just that for whitewater kayaking with unparalleled adjustability, patented technology, and cutting-edge safety innovations for destinations unknown.

FEATURES INCLUDE:

- Reinforced bulkhead foot brace system with reinforced rails and expanding toe cup that prevents feet from pushing past the bulkhead
- Ratcheting leg lifter provides 3" in elevation for added storage space and adjustability that allows more efficient energy transfer from the paddler to the kayak
- All adjustment parts are tethered to prevent loss
- Comfortable cockpit padding
- Quick-release, adjustable hip pads
- Re-engineered back band provides greater functionality and easier access to storage space behind the seat
- Metric hardware for global compatibility
- Multiple attachment points and security tethers for securing gear
- Foot and seat booster padding included for customization

FEATURES UNIQUE TO CREEKING MODELS:

Withstands more high-impact paddling with additional rugged, vet comfortable features:

- Intuitive controls allow 3" of fore and aft seat adjustment
- Rotomolded tank style creek seat is stiff and durable
- Step-out wall includes easy-grip handle for easy carrying and efficiency in the step-out motion
- Storage tray adds storage capacity and hull structure

FEATURES UNIQUE TO RIVER AND PLAY MODELS:

- Intuitive controls allow 4" of fore and aft seat adjustment
- Quick-reference indexing system allows on-the-fly adjustment

20 BBP E BAR

BOAT SPECS HOW WE GET THEM, WHAT THEY MEAN

WEIGHT

Based on a fully assembled boat including all outfitting. (NOTE: When comparing, other companies may not include outfitting in their weight specifications.)

CAPACITY

Field tests determine each model's capacity, with maximum being the greatest load the model can carry and still perform under typical conditions.

DIMENSIONS

Depths are measured from the highest point on the deck to the bottom of the hull directly under that point.



and manufactured in the U.S.A. and are covered by a 3-Year Limited Warranty. Some limitations apply and coverage varies during the 3 years for whitewater models. Visit www.dagger.com for full details.

							ų	krest/ Back Band	t Pad	gh Braces	r Brace	urity Bar	Beginner	Intermediate	Advanced	Stability	Maneuverability	Hull Speed
LENGTH	WIDTH	DECK HEIGHT	COCKPIT	VOLUME	WEIGHT RANGE	BOAT WEIGHT	Sea	Bac	Sea	Thig	Foo	Sec		You		Tł	ne Bo	at
8' 1 " 246 cm	25.5" 65 cm	12.5" 32 cm	34" x 19" 86 x 48 cm	68 gal 257 L	110-190 lbs 50-86 kg	47 lbs 21 kg	RT	RA	CE	PA	В	н	3	5	5	4	4	4
8' 5" 257 cm	26.5" 67 cm	13" 33 cm	34" x 19" 86 x 48 cm	78 gal 295 L	150-240 lbs 68-109 kg	50 lbs 23 kg	RT	RA	CE	PA	В	н	3	5	5	4	4	4
7' 7" 231 cm	25.5" 65 cm	14" 36 cm	34" x 19" 86 x 48 cm	64 gal 242 L	120-170 lbs 54-77 kg	44 lbs 20 kg	RT	RA	CE	PA	В	н	5	5	5	5	4	4
8' 1 " 246 cm	26.75" 68 cm	15" 38 cm	34" x 19" 86 x 48 cm	77 gal 292 L	150-220 lbs 68-100 kg	47 lbs 21 kg	RT	RA	CE	PA	В	н	5	5	5	5	4	4
8' 6" 259 cm	27.5" 70 cm	15.5" 39 cm	34″ x 19″ 86 x 48 cm	89 gal 337 L	175-260 lbs 79-118 kg	52 lbs 24 kg	RT	RA	CE	PA	В	н	5	5	5	5	4	4
11' 9" 358 cm	24.25" 62 cm	14.5" 37 cm	34.5" x 19" 88 x 48 cm	95 gal 360 L	140-260 lbs 64-118 kg	55 lbs 24 kg	RT	RA	CE	PA	В	Н	1	4	5	4	4	5
5' 6" 168 cm	25" 64 cm	12" 30 cm	34" x 19" 86 x 48 cm	48 gal 182 L	90-155 lbs 41-70 kg	29 lbs 13 kg	R	RA	CE	PA	FM	Н	1	3	5	3	5	3
5' 9.5" 178 cm	26" 66 cm	12.5" 32 cm	34" x 19" 86 x 48 cm	57 gal 215 L	140-200 lbs 64-91 kg	31 lbs 14 kg	R	RA	CE	PA	FM	н	1	3	5	3	5	3
6' 183 cm	27" 69 cm	13.25" 34 cm	34″ x 19″ 86 x 48 cm	63 gal 239 L	165-245 lbs 75-111 kg	34 lbs 15 kg	R	RA	CE	PA	FM	Н	1	3	5	3	5	3
6' 9" 206 cm	22.5" 57 cm	10.5" 27 cm	27.75"x17" 71 x 43 cm	39 gal 148 L	65-120 lbs 29-54 kg	25 lbs 11 kg	Т	PA	G	AP	AK	н	4	5	4	4	4	5
8' 244 cm	24.5" 62 cm	12" 30 cm	34" x 19" 86 x 48 cm	51 gal 193 L	90-150 lbs 41-68 kg	37 lbs 17 kg	R	RA	CE	PA	В	н	4	5	4	4	4	5
8' 6" 259 cm	25.5" 65 cm	13.5" 34 cm	34" x 19" 86 x 48 cm	63 gal 238 L	130-210 lbs 59-95 kg	42 lbs 19 kg	R	RA	CE	PA	В	н	4	5	4	4	4	5
9' 274 cm	27.75" 69 cm	14" 36 cm	34" x 19" 86 x 48 cm	78 gal 295 L	180-265 lbs 82-120 kg	45 lbs 20 kg	R	RA	CE	PA	В	н	4	5	4	4	4	5
7' 7" 231 cm	25.5" 65 cm	14" 36 cm	34" x 19" 86 x 48 cm	64 gal 242 L	120-170 lbs 54-77 kg	43 lbs 20 kg	R	RA	CE	PA	В	Н	5	5	5	5	4	4
8' 1 " 246 cm	26.75" 68 cm	15" 38 cm	34" x 19" 86 x 48 cm	77 gal 292 L	150-220 lbs 68-100 kg	45 lbs 20 kg	R	RA	CE	PA	В	Н	5	5	5	5	4	4
8' 6" 259 cm	27.5" 70 cm	15.5" 39 cm	34" x 19" 86 x 48 cm	89 gal 337 L	175-260 lbs 79-118 kg	50 lbs 23 kg	R	RA	CE	PA	В	н	5	5	5	5	4	4
	8' 1" 246 cm 8' 5" 257 cm 7' 7" 231 cm 8' 1" 246 cm 8' 6" 259 cm 11' 9" 358 cm 5' 6" 168 cm 5' 9.5" 178 cm 6' 183 cm 6' 183 cm 8' 6" 206 cm 8' 6" 274 cm 8' 6" 274 cm 8' 1" 246 cm 8' 6" 274 cm	8' 1" 25.5" 246 cm 65 cm 8' 5" 26.5" 257 cm 67 cm 7' 7" 25.5" 231 cm 65 cm 8' 1" 26.75" 246 cm 68 cm 8' 1" 26.75" 246 cm 68 cm 8' 6" 27.5" 259 cm 70 cm 11' 9" 24.25" 358 cm 62 cm 5' 6" 25" 168 cm 64 cm 5' 9.5" 26" 178 cm 66 cm 6' 9" 22.5" 206 cm 57 cm 8' 24.5" 25.5" 229 cm 65 cm 9' 27.75" 271 cm 65 cm 9' 27.55" 231 cm 65 cm 8' 6" 25.5" 231 cm 65 cm 8' 1" 26.75" 231 cm 65 cm 8' 1" 26.55"	8' 1" 25.5" 12.5" 246 cm 65 cm 32 cm 8' 5" 26.5" 13" 257 cm 67 cm 33 cm 7' 7" 25.5" 14" 23 cm 68 cm 36 cm 8' 1" 26.75" 15" 246 cm 68 cm 38 cm 8' 6" 27.5" 15.5" 246 cm 68 cm 38 cm 8' 6" 27.5" 15.5" 259 cm 70 cm 39 cm 11' 9' 24.25" 14.5" 358 cm 62 cm 37 cm 5' 6.6" 25" 12.5" 18' cm 64 cm 30 cm 5' 9.5" 26" 12.5" 183 cm 69 cm 34 cm 6' 9" 22.5" 10.5" 206 cm 57 cm 27 cm 8' 24.5" 12" 13.5" 259 cm 65 cm 34 cm 9' 27.75" 14"	8' 1" 25.5" 12.5" 34" x 19" 246 cm 65 cm 32 cm 86 x 48 cm 8' 5" 26.5" 13" 34" x 19" 257 cm 67 cm 33 cm 86 x 48 cm 7' 7" 25.5" 14" 34" x 19" 231 cm 65 cm 36 cm 86 x 48 cm 8' 1" 26.75" 15" 34" x 19" 246 cm 68 cm 38 cm 86 x 48 cm 8' 6" 27.5" 15.5" 34" x 19" 246 cm 68 cm 38 cm 86 x 48 cm 8' 6" 27.5" 15.5" 34" x 19" 259 cm 70 cm 39 cm 86 x 48 cm 7' 7" 24.25" 14.5" 34.5" x 19" 358 cm 62 cm 37 cm 88 x 48 cm 5' 9.5" 26" 12.5" 34" x 19" 183 cm 69 cm 32 cm 86 x 48 cm 6' 9" 22.5" 10.5" 27.75" x17" 206 cm 57 cm 27 cm	8' 1" 25.5" 12.5" $34" \times 19"$ 68 gal 246 cm 65 cm 32 cm 86 x 48 cm 257 L 8' 5" 26.5" 13" $34" \times 19"$ 78 gal 257 cm 67 cm 33 cm 86 x 48 cm 295 L 7' 7" 25.5" 14" $34" \times 19"$ 78 gal 231 cm 65 cm 36 cm 86 x 48 cm 242 L 8' 1" 26.75" 15" $34" \times 19"$ 77 gal 246 cm 68 cm 38 cm 86 x 48 cm 242 L 8' 6" 27.5" 15.5" 34" x 19" 89 gal 259 cm 70 cm 39 cm 86 x 48 cm 360 L 7' 70 cm 39 cm 86 x 48 cm 360 L 5' 6" 25" 12" 34" x 19" 87 gal 358 cm 62 cm 37 cm 86 x 48 cm 361 L 5' 9.5" 26" 12.5" 34" x 19" 57 gal 11' 9" 24.25" 12.5" 34" x 19"	8' 1" 25.5" 12.5" $34" \times 19"$ 68 gal 110-190 lbs 246 cm 65 cm 32 cm 86 x 48 cm 257 L 50-86 kg 8' 5" 26.5" 13" 34" x 19" 78 gal 150-240 lbs 257 cm 67 cm 33 cm 86 x 48 cm 295 L 68-109 kg 7' 7" 25.5" 14" 34" x 19" 76 gal 120-170 lbs 231 cm 66 cm 36 cm 86 x 48 cm 242 L 54-77 kg 8' 1" 26.75" 15" 34" x 19" 77 gal 150-220 lbs 246 cm 68 cm 38 cm 86 x 48 cm 337 L 79-118 kg 259 cm 70 cm 39 cm 84 x 48 cm 360 L 64-118 kg 11' 9" 24,25" 14.5" 34.5" x 19" 95 gal 140-260 lbs 358 cm 62 cm 37 cm 86 x 48 cm 182 L 41-70 kg 5' 6.5" 25" 12.5" 34" x 19" 57 gal 140-200 lbs 168 cm	8' 1" 25.5" 12.5" 34" x 19" 66 gal 110-190 lbs 47 lbs 8' 5" 26.5" 13" 34" x 19" 78 gal 50-86 kg 23 kg 8' 5" 26.5" 13" 34" x 19" 78 gal 150-240 lbs 50 lbs 257 cm 67 cm 33 cm 86 x 48 cm 295 L 68-109 kg 23 kg 27 7" 25.5" 14" 34" x 19" 64 gal 120-170 lbs 44 lbs 231 cm 65 cm 36 cm 86 x 48 cm 242 L 54-77 kg 20 kg 8' 1" 26.75" 15" 34" x 19" 89 gal 175-260 lbs 52 lbs 259 cm 70 cm 39 cm 86 x 48 cm 337 L 79-118 kg 24 kg 11' 9" 24.25" 14.5" 34.5" x 19" 95 gal 140-260 lbs 55 lbs 358 cm 62 cm 37 cm 88 x 48 cm 360 L 64-118 kg 24 kg 5' 6." 25" 12" 34" x 19" 48 gal 90-155 lbs 29 lbs 168 cm 64 cm 30 cm 86 x 48 cm </td <td>8' 1" 25.5" 12.5" 34" x 19" 68 gal 110-190 lbs 47 lbs RT 8' 5" 26.5" 13" 34" x 19" 78 gal 150-240 lbs 50 lbs RT 2'7 7" 25.5" 14" 34" x 19" 64 gal 120-170 lbs 44 lbs 23 kg RT 2'1 cm 65 cm 36 cm 86 x 48 cm 295 L 68-109 kg 23 kg RT 2'1 cm 65 cm 36 cm 86 x 48 cm 242 L 54-77 kg 20 kg RT 2'46 cm 68 cm 38 cm 86 x 48 cm 292 L 68-100 kg 21 kg RT 2'46 cm 68 cm 37 cm 38 cm 290 cg 87 77 79 16 lbs 21 kg RT 2'46 cm 62 cm 37 cm 34 x 19" 89 gal 175-260 lbs 52 lbs RT 3'5 6" 22" 14.5" 34.5" x 19" 360 L 64-118 kg 24 kg RT 3'5 6" 22" 12.5"<</td> <td>8' 1' 25.5" 12.5" 34" × 19" 68 gal 110-190 lbs 47 lbs RT RA 8' 5" 26.5" 13" 34" × 19" 78 gal 150-240 lbs 50 lbs RT RA 8' 5" 26.5" 13" 34" × 19" 78 gal 150-240 lbs 50 lbs RT RA 7' 7" 25.5" 14" 34" × 19" 74 gal 68 100 kg 21 kg RT RA 231 cm 65 cm 36 cm 86 x 48 cm 272 L 68-100 kg 21 kg RT RA 246 cm 68 cm 38 cm 86 x 48 cm 272 L 68-100 kg 21 kg RT RA 259 cm 70 cm 39 cm 86 x 48 cm 360 L 64-118 kg 24 kg RT RA 5' 6" 25.5" 12" 34" × 19" 95 gal 140-260 lbs 55 lbs RT RA 5' 6.6" 25.5" 12" 34" × 19" 48 gal 90-155 lbs 29 lbs R</td> <td>21.10**** 22.5.** 12.5** 34**** 19*** 68 gal 110-190 lbs 47 lbs RT RA CE 8' 1* 25.5** 26.5* 13*** 34**** 19*** 257 cm 50-86 kg 21 kg RT RA CE 8' 5** 26.5* 13*** 34**** 19*** 78 gal 150-240 lbs 62 lbs RT RA CE 7' 7* 25.5** 14** 34**** 19*** 64 gal 120-170 lbs 44 lbs RT RA CE 8' 1* 26.75** 15** 34**** 19** 64 gal 120-170 lbs 44 lbs RT RA CE 8' 1* 26.75** 15** 34**** 19** 89 gal 150-220 lbs 52 lbs RT RA CE 25' cm 70 cm 39 cm 86 x 48 cm 292 L 68-100 kg 25 lbs RT RA CE 11' 9* 24 225* 14.5* 34*** 19* 89 gal 70-118 kg 24 kg RT RA CE 11' 9*</td> <td>Bit in Construction Construction</td> <td>21.100.mm 20.01.11.00m 20.01.11 70.00m 70.01.11</td> <td>Bit Desktizer Desktizer Oestizer <thoestizer< th=""> <thoest< td=""><td>Altern Clearne intern <thclearne intern<="" th=""> Clearne intern</thclearne></td><td>B⁺¹⁺ 25.5⁺ 12.5⁺ 34⁺ x 19⁺ 68 gal 110-190 lbs 47 lbs RT RA CE PA B H 3 5 257 cm 65 cm 32 cm 86 x 48 cm 257 L 50-86 kg 21 kg RT RA CE PA B H 3 5 257 cm 67 cm 33 cm 86 x 48 cm 295 L 66-109 kg 22 kg RT RA CE PA B H 3 5 277 cm 65 cm 36 cm 86 x 48 cm 292 L 66-100 kg 22 kg RT RA CE PA B H 5 5 8⁺¹ 26.57⁺ 15⁺ 34⁺ x 19⁺ 77 gal 150-220 lbs 47 lbs RT RA CE PA B H 5 5 8⁺⁶ 27.5⁺ 15.5⁺ 34⁺ x 19⁺ 89 gal 175-260 lbs 52 lbs RT RA CE PA B H 5 5 8⁺⁶ 22⁺ 14.5⁺ 34.5⁺ x 19⁻</td><td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td><td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td><td>LENGTH WIDTH DECK HEIGHT COCKPT VOLUME WEIGHT RANGE BOAT WEIGHT No No Volume Volume</td></thoest<></thoestizer<></td>	8' 1" 25.5" 12.5" 34" x 19" 68 gal 110-190 lbs 47 lbs RT 8' 5" 26.5" 13" 34" x 19" 78 gal 150-240 lbs 50 lbs RT 2'7 7" 25.5" 14" 34" x 19" 64 gal 120-170 lbs 44 lbs 23 kg RT 2'1 cm 65 cm 36 cm 86 x 48 cm 295 L 68-109 kg 23 kg RT 2'1 cm 65 cm 36 cm 86 x 48 cm 242 L 54-77 kg 20 kg RT 2'46 cm 68 cm 38 cm 86 x 48 cm 292 L 68-100 kg 21 kg RT 2'46 cm 68 cm 37 cm 38 cm 290 cg 87 77 79 16 lbs 21 kg RT 2'46 cm 62 cm 37 cm 34 x 19" 89 gal 175-260 lbs 52 lbs RT 3'5 6" 22" 14.5" 34.5" x 19" 360 L 64-118 kg 24 kg RT 3'5 6" 22" 12.5"<	8' 1' 25.5" 12.5" 34" × 19" 68 gal 110-190 lbs 47 lbs RT RA 8' 5" 26.5" 13" 34" × 19" 78 gal 150-240 lbs 50 lbs RT RA 8' 5" 26.5" 13" 34" × 19" 78 gal 150-240 lbs 50 lbs RT RA 7' 7" 25.5" 14" 34" × 19" 74 gal 68 100 kg 21 kg RT RA 231 cm 65 cm 36 cm 86 x 48 cm 272 L 68-100 kg 21 kg RT RA 246 cm 68 cm 38 cm 86 x 48 cm 272 L 68-100 kg 21 kg RT RA 259 cm 70 cm 39 cm 86 x 48 cm 360 L 64-118 kg 24 kg RT RA 5' 6" 25.5" 12" 34" × 19" 95 gal 140-260 lbs 55 lbs RT RA 5' 6.6" 25.5" 12" 34" × 19" 48 gal 90-155 lbs 29 lbs R	21.10**** 22.5.** 12.5** 34**** 19*** 68 gal 110-190 lbs 47 lbs RT RA CE 8' 1* 25.5** 26.5* 13*** 34**** 19*** 257 cm 50-86 kg 21 kg RT RA CE 8' 5** 26.5* 13*** 34**** 19*** 78 gal 150-240 lbs 62 lbs RT RA CE 7' 7* 25.5** 14** 34**** 19*** 64 gal 120-170 lbs 44 lbs RT RA CE 8' 1* 26.75** 15** 34**** 19** 64 gal 120-170 lbs 44 lbs RT RA CE 8' 1* 26.75** 15** 34**** 19** 89 gal 150-220 lbs 52 lbs RT RA CE 25' cm 70 cm 39 cm 86 x 48 cm 292 L 68-100 kg 25 lbs RT RA CE 11' 9* 24 225* 14.5* 34*** 19* 89 gal 70-118 kg 24 kg RT RA CE 11' 9*	Bit in Construction Construction	21.100.mm 20.01.11.00m 20.01.11 70.00m 70.01.11	Bit Desktizer Desktizer Oestizer Oestizer <thoestizer< th=""> <thoest< td=""><td>Altern Clearne intern <thclearne intern<="" th=""> Clearne intern</thclearne></td><td>B⁺¹⁺ 25.5⁺ 12.5⁺ 34⁺ x 19⁺ 68 gal 110-190 lbs 47 lbs RT RA CE PA B H 3 5 257 cm 65 cm 32 cm 86 x 48 cm 257 L 50-86 kg 21 kg RT RA CE PA B H 3 5 257 cm 67 cm 33 cm 86 x 48 cm 295 L 66-109 kg 22 kg RT RA CE PA B H 3 5 277 cm 65 cm 36 cm 86 x 48 cm 292 L 66-100 kg 22 kg RT RA CE PA B H 5 5 8⁺¹ 26.57⁺ 15⁺ 34⁺ x 19⁺ 77 gal 150-220 lbs 47 lbs RT RA CE PA B H 5 5 8⁺⁶ 27.5⁺ 15.5⁺ 34⁺ x 19⁺ 89 gal 175-260 lbs 52 lbs RT RA CE PA B H 5 5 8⁺⁶ 22⁺ 14.5⁺ 34.5⁺ x 19⁻</td><td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td><td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td><td>LENGTH WIDTH DECK HEIGHT COCKPT VOLUME WEIGHT RANGE BOAT WEIGHT No No Volume Volume</td></thoest<></thoestizer<>	Altern Clearne intern Clearne intern <thclearne intern<="" th=""> Clearne intern</thclearne>	B ⁺¹⁺ 25.5 ⁺ 12.5 ⁺ 34 ⁺ x 19 ⁺ 68 gal 110-190 lbs 47 lbs RT RA CE PA B H 3 5 257 cm 65 cm 32 cm 86 x 48 cm 257 L 50-86 kg 21 kg RT RA CE PA B H 3 5 257 cm 67 cm 33 cm 86 x 48 cm 295 L 66-109 kg 22 kg RT RA CE PA B H 3 5 277 cm 65 cm 36 cm 86 x 48 cm 292 L 66-100 kg 22 kg RT RA CE PA B H 5 5 8 ⁺¹ 26.57 ⁺ 15 ⁺ 34 ⁺ x 19 ⁺ 77 gal 150-220 lbs 47 lbs RT RA CE PA B H 5 5 8 ⁺⁶ 27.5 ⁺ 15.5 ⁺ 34 ⁺ x 19 ⁺ 89 gal 175-260 lbs 52 lbs RT RA CE PA B H 5 5 8 ⁺⁶ 22 ⁺ 14.5 ⁺ 34.5 ⁺ x 19 ⁻	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	LENGTH WIDTH DECK HEIGHT COCKPT VOLUME WEIGHT RANGE BOAT WEIGHT No No Volume Volume

23		Senta II		-	à		an de		M					4	R	- 19	2		0						1.1.1			-
									2	0				and the				の一般の変化				a ville	-	1 Mail		1		
	Ē								Seat	Backrest/ Back Band	Seat Pad	Thigh Braces	Foor B race	Skeg/Rudder	Hatch Cover(s)	Security Bar	Beginner	Intermediate	Advanced	Stability	Maneuverability	Hull Speed	Tracking	Calm/Slow Moving	Class I - II Water	Day Trips		Hunting/Fishing/Photo
		WIDTH	WEIGHT	DECK HEIGHT	COCKPIT	STERN HATCH	BOW HATCH	CAPACITY	Se	Ba	Se	Ę	Fc	Sk	Ϋ́	Se		You			The B	Boat			Th	he Wate	er	
Approach 9.0	9'	25.25"	38 lbs	12"	36.25" x 20"	10.5" x 10.5"	N/A	200 lbs	м	PA	т	AP	AK	RS	НС	н	5	3	2	5	4	3	3	5	5	5	3	2
Approach 10.0	274 cm 10'	64 cm 28"	17 kg 44 lbs		92 x 51 cm 38.75" x 21.25"		N/A	91 kg 275 lbs	M	PA	т	AP	AK	RS	НС	н	5	3	2	5	4	3	3	5	5	5	3	2
Torrent 10.0	305 cm 10' 1" 307 cm	71 cm 30.5" 77 cm	20 kg 48 lbs 22 kg	34 cm N/A	98 x 54 cm 48.25" x 20.5" 123 x 52 cm	27 x 27 cm N/A	5" 13 cm	125 kg 250 lbs 113 kg	м		N/A	TS		N/A		N/A	5	3	2	5	5	3	3	4	5	2	2	4
CROSSOVER MULTIWATE		- // Gii	22 NY		123 × 32 cm		15 011	113 kg									_									_	_	_
Axis 10.5	10' 6" 320 cm	28.5" 72 cm	50 lbs 23 kg	16" 41 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	300 lbs 136 kg	т	CR	TV	ZT	SL	RS	HC	н	5	4	3	5	4	4	3	5	4	5	3	4
Axis 12.0	12' 366 cm	27.5" 70 cm	55 lbs 25 kg	15.25" 39 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	350 lbs 159 kg	т	CR	τv	ZT	SL	RS	НС	н	5	4	3	5	4	4	3	5	4	5	3	4
ADVENTURE REC									-																	_		
Zydeco 9.0	9' 1" 276 cm	28.5" 72 cm	36.5 lbs 17 kg	14.25" 36 cm	38.5" x 21.75" 98 x 55 cm	N/A	N/A	250 lbs 113 kg	М	CR	ΤV	ZT	SL	N/A	N/A	н	5	4	2	5	5	3	3	5	2	5	1	4
Zydeco 11.0	11' 2" 340 cm	27.75" 70 cm	48 lbs 22 kg	15" 38 cm	38.5" x 21.75" 98 x 55 cm	17" x 12" 43 x 30 cm	N/A	325 lbs 147 kg	м	CR	ΤV	ZT	SL	N/A	HC	н	5	4	2	5	5	3	3	5	2	5	2	4
Kaos 10.2	10' 2" 314 cm	26.5" 67 cm	43 lbs 20 kg	8.5" 22 cm	51.75" x 19.25" 131 x 49 cm		N/A	250 lbs 113 kg	м	PA	N/A	N/A	MI	SF	DP	N/A	4	5	4	4	5	5	4	2	3	1	1	1
PERFORMANCE TOURING	G																											
Alchemy 14.0 S	14' 427 cm	23" 58 cm	51 lbs 23 kg	13" 33 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	275 lbs 125 kg	т	CF	т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5	3
Alchemy 14.0 L	14' 427 cm	24" 61 cm	54 lbs 25 kg	14.25" 36 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	300 lbs 136 kg	т	CF	т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5	3
SEAT R = Roto Molded Seating RT = Tank Style Roto Molded Se T = Thermoformed M = Molded-In	RA	ACK BAND = Ratchet = Padded	Adjustable Adjustable	BACKREST PA = Padded / CF = Comfort CR = Comfort	Adjustable	THIGH BRAC PA = Precisio AP = Adjusta TS = Thigh S ZT = Zone Kr	n Adjustable ble Padded	FOOT B B = Bulk FM = Fo AK = Ad SL = Slid MI = Mo	head am ljustable leLock	e Keepe	ers	G = 0 CE = TV =		our Erge noform			PS = F	Retract Premiu urf Fin	m Ske		н н н	H = Ha HATCH HC = H	RITY B. amme H COV Hatch Deck P	rhead /ERS Cover			Good Great	


2		SOLA		1	6		1 1		1				2	4					9					1		ji (
					5					1	(THE REAL PROPERTY.				A TOTAL		100 H	2			
									Seat	Backrest/ Back Band	Seat Pad	Thigh Braces	Foor B race	Skeg/Rudder	Hatch Cover(s)	Security Bar	Beginner	Intermediate	Advanced	Stability	Maneuverability	Hull Speed	Tracking	Calm/Slow Moving	Class I - II Water	Day Trips	Weekend/Overnight Trips	Hunting/Fishing/Photo
BOAT CROSSOVER WHITEWATER		WIDTH	WEIGHT	DECK HEIGHT	COCKPIT	STERN HATCH	BOW HATCH	CAPACITY	Š	B	š	≓ _	ŭ	Ś	Ï	š		You			The E	Boat			Th	ne Wate	ər	
Approach 9.0	9' 274 cm	25.25" 64 cm	38 lbs 17 kg	12" 30 cm	36.25" x 20" 92 x 51 cm	10.5" x 10.5" 27 x 27 cm	N/A	200 lbs 91 kg	М	PA	т	AP	AK	RS	HC	н	5	3	2	5	4	3	3	5	5	5	3	2
Approach 10.0	10' 305 cm	28" 71 cm	44 lbs 20 kg	13.5" 34 cm	38.75" x 21.25" 98 x 54 cm	10.5" x 10.5" 27 x 27 cm	N/A	275 lbs 125 kg	М	PA	т	AP	AK	RS	НС	н	5	3	2	5	4	3	3	5	5	5	3	2
Torrent 10.0	10' 1" 307 cm	30.5" 77 cm	48 lbs 22 kg	N/A	48.25" x 20.5" 123 x 52 cm	N/A	5" 13 cm	250 lbs 113 kg	М	N/A	N/A	TS	AK	N/A	DP	N/A	5	3	2	5	5	3	3	4	5	2	2	4
CROSSOVER MULTIWATER			5																									
Axis 10.5	10' 6" 320 cm	28.5" 72 cm	50 lbs 23 kg	16" 41 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	300 lbs 136 kg	Т	CR	ΤV	ZT	SL	RS	HC	н	5	4	3	5	4	4	3	5	4	5	3	4
Axis 12.0	12' 366 cm	27.5" 70 cm	55 lbs 25 kg	15.25" 39 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	350 lbs 159 kg	т	CR	τv	ZT	SL	RS	HC	н	5	4	3	5	4	4	3	5	4	5	3	4
ADVENTURE REC																												_
Zydeco 9.0	9' 1" 276 cm	28.5" 72 cm	36.5 lbs 17 kg	14.25" 36 cm	38.5" x 21.75" 98 x 55 cm	N/A	N/A	250 lbs 113 kg	М	CR	τv	ZT	SL	N/A	N/A	н	5	4	2	5	5	3	3	5	2	5	1	4
Zydeco 11.0	11' 2" 340 cm	27.75" 70 cm	48 lbs 22 kg	15" 38 cm	38.5" x 21.75" 98 x 55 cm	17" x 12" 43 x 30 cm	N/A	325 lbs 147 kg	М	CR	ΤV	ZT	SL	N/A	HC	н	5	4	2	5	5	3	3	5	2	5	2	4
Kaos 10.2	10' 2" 314 cm	26.5" 67 cm	43 lbs 20 kg	8.5" 22 cm	51.75" x 19.25" 131 x 49 cm	5" x 5" 13 x 13 cm	N/A	250 lbs 113 kg	М	PA	N/A	N/A	MI	SF	DP	N/A	4	5	4	4	5	5	4	2	3	1	1	1
PERFORMANCE TOURING																												
Alchemy 14.0 S	14' 427 cm	23" 58 cm	51 lbs 23 kg	13" 33 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	275 lbs 125 kg	Т	CF	Т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5	3
Alchemy 14.0 L	14' 427 cm	24" 61 cm	54 lbs 25 kg	14.25" 36 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	300 lbs 136 kg	Т	CF	т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5	3
SEAT R = Roto Molded Seating RT = Tank Style Roto Molded Seatin T = Thermoformed M = Molded-In	RA		Adjustable Adjustable	BACKREST PA = Padded CF = Comfort CR = Comfort		THIGH BRAC PA = Precisio AP = Adjusta TS = Thigh S ZT = Zone Kr	n Adjustable ble Padded	FOOT BR B = Bulkh FM = Foa AK = Adj SL = Slide MI = Mol	iead im ustable eLock	Кеере	rs	CE = TV =	Grip lo Conto	our Erge noform	o Ventec		PS =	Retract Premiu Surf Fins	m Ske		+ + +	SECUR H = Ha HATCH HC = H DP = D	amme H CON Hatch	rhead /ERS Cover			Good Great	

2 h	el.	Secura		1	â		1		y				4			A.	4	١,	0					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1400			~
		ALL DAY			5		Ň			1				And the		THE REAL PROPERTY IN THE REAL PROPERTY INTO THE REAL PR		A DESCRIPTION				E TAN		4	1	and the second	5	Contraction of the
									Seat	Backrest' Back Band	Seat Pad	Thigh Braces	Foor B race	Skeg/Rudder	Hatch Cover(s)	Security Bar	Beginner	Intermediate	Advanced	Stability	Maneuverability	Hull Speed	Tracking	Calm/Slow Moving	Class I - II Water	Day Trips	Weekend/Overnight Trips	HUNTING/FISNING/FNOTO
BOAT CROSSOVER WHITEWATER	LENGTH	WIDTH	WEIGHT	DECK HEIGHT	COCKPIT	STERN HATCH	BOW HATCH	CAPACITY	Se	Ba	Se	Ę	Ч	Sk	Ϋ́	Se		You			The B	Boat			The	e Water		
Approach 9.0	9' 274 cm	25.25" 64 cm	38 lbs	12" 30 cm	36.25" x 20" 92 x 51 cm	10.5" x 10.5" 27 x 27 cm	N/A	200 lbs	М	PA	т	AP	AK	RS	HC	Н	5	3	2	5	4	3	3	5	5	5	3 2	2
Approach 10.0	10' 305 cm	28" 71 cm	17 kg 44 lbs 20 kg	30 cm 13.5" 34 cm	92 x 51 cm 38.75" x 21.25" 98 x 54 cm	10.5" x 10.5" 27 x 27 cm	N/A	91 kg 275 lbs 125 kg	М	PA	т	AP	AK	RS	HC	н	5	3	2	5	4	3	3	5	5	5	3 2	2
Torrent 10.0	10' 1" 307 cm	30.5" 77 cm	48 lbs 22 kg	N/A	48.25" x 20.5" 123 x 52 cm	N/A	5" 13 cm	250 lbs 113 kg	М	N/A	N/A	TS	AK	N/A	DP	N/A	5	3	2	5	5	3	3	4	5	2	2 4	1
CROSSOVER MULTIWATER			9																									_
Axis 10.5	10' 6" 320 cm	28.5" 72 cm	50 lbs 23 kg	16" 41 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	300 lbs 136 kg	Т	CR	ΤV	ZT	SL	RS	HC	н	5	4	3	5	4	4	3	5	4	5	3 4	Ļ
Axis 12.0	12' 366 cm	27.5" 70 cm	55 lbs 25 kg	15.25" 39 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	350 lbs 159 kg	т	CR	ΤV	ZT	SL	RS	HC	н	5	4	3	5	4	4	3	5	4	5	3 4	ţ
ADVENTURE REC									-																			_
Zydeco 9.0	9' 1" 276 cm	28.5" 72 cm	36.5 lbs 17 kg	14.25" 36 cm	38.5" x 21.75" 98 x 55 cm	N/A	N/A	250 lbs 113 kg	М	CR	τv	ZT	SL	N/A	N/A	н	5	4	2	5	5	3	3	5	2	5	1 4	ţ
Zydeco 11.0	11' 2" 340 cm	27.75" 70 cm	48 lbs 22 kg	15" 38 cm	38.5" x 21.75" 98 x 55 cm	17" x 12" 43 x 30 cm	N/A	325 lbs 147 kg	М	CR	τv	ZT	SL	N/A	HC	н	5	4	2	5	5	3	3	5	2	5	2	ŀ
Kaos 10.2	10' 2" 314 cm	26.5" 67 cm	43 lbs 20 kg	8.5" 22 cm	51.75" x 19.25" 131 x 49 cm	5" x 5" 13 x 13 cm	N/A	250 lbs 113 kg	М	PA	N/A	N/A	MI	SF	DP	N/A	4	5	4	4	5	5	4	2	3	1	1	1
PERFORMANCE TOURING																												
Alchemy 14.0 S	14' 427 cm	23" 58 cm	51 lbs 23 kg	13" 33 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	275 lbs 125 kg	Т	CF	т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5 3	3
Alchemy 14.0 L	14' 427 cm	24" 61 cm	54 lbs 25 kg	14.25" 36 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	300 lbs 136 kg	Т	CF	т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5 3	3
SEAT R = Roto Molded Seating RT = Tank Style Roto Molded Seatin T = Thermoformed M = Molded-In	RA		Adjustable Adjustable	BACKREST PA = Padded CF = Comfort CR = Comfort		THIGH BRAC PA = Precisio AP = Adjusta TS = Thigh S ZT = Zone Kr	n Adjustable ble Padded	FOOT BR B = Bulkh FM = Foa AK = Adj SL = Slide MI = Mol	iead im ustable eLock	Кеере	rs	CE = TV =	Grip lo Conto	our Ergo oform			PS = I	Retracta Premiur urf Fins	n Ske		н н н	I = Hai IATCH IC = H	TY BA mmerh COVE atch C eck Pla	RS overs	PRMAN ot Suita c ood eat eat			

2		SOLA		1	6		1 1		1				2	4					9					1		ji (
					5					1	(THE REAL PROPERTY.				A TOTAL		100 H	2			
									Seat	Backrest/ Back Band	Seat Pad	Thigh Braces	Foor B race	Skeg/Rudder	Hatch Cover(s)	Security Bar	Beginner	Intermediate	Advanced	Stability	Maneuverability	Hull Speed	Tracking	Calm/Slow Moving	Class I - II Water	Day Trips	Weekend/Overnight Trips	Hunting/Fishing/Photo
BOAT CROSSOVER WHITEWATER		WIDTH	WEIGHT	DECK HEIGHT	COCKPIT	STERN HATCH	BOW HATCH	CAPACITY	Š	B	š	≓ _	Ĕ	Ś	Ï	š		You			The E	Boat			Th	ne Wate	ər	
Approach 9.0	9' 274 cm	25.25" 64 cm	38 lbs 17 kg	12" 30 cm	36.25" x 20" 92 x 51 cm	10.5" x 10.5" 27 x 27 cm	N/A	200 lbs 91 kg	М	PA	т	AP	AK	RS	HC	н	5	3	2	5	4	3	3	5	5	5	3	2
Approach 10.0	10' 305 cm	28" 71 cm	44 lbs 20 kg	13.5" 34 cm	38.75" x 21.25" 98 x 54 cm	10.5" x 10.5" 27 x 27 cm	N/A	275 lbs 125 kg	М	PA	т	AP	AK	RS	НС	н	5	3	2	5	4	3	3	5	5	5	3	2
Torrent 10.0	10' 1" 307 cm	30.5" 77 cm	48 lbs 22 kg	N/A	48.25" x 20.5" 123 x 52 cm	N/A	5" 13 cm	250 lbs 113 kg	М	N/A	N/A	TS	AK	N/A	DP	N/A	5	3	2	5	5	3	3	4	5	2	2	4
CROSSOVER MULTIWATER			5																									
Axis 10.5	10' 6" 320 cm	28.5" 72 cm	50 lbs 23 kg	16" 41 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	300 lbs 136 kg	Т	CR	ΤV	ZT	SL	RS	HC	н	5	4	3	5	4	4	3	5	4	5	3	4
Axis 12.0	12' 366 cm	27.5" 70 cm	55 lbs 25 kg	15.25" 39 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	350 lbs 159 kg	т	CR	τv	ZT	SL	RS	HC	н	5	4	3	5	4	4	3	5	4	5	3	4
ADVENTURE REC																												_
Zydeco 9.0	9' 1" 276 cm	28.5" 72 cm	36.5 lbs 17 kg	14.25" 36 cm	38.5" x 21.75" 98 x 55 cm	N/A	N/A	250 lbs 113 kg	М	CR	τv	ZT	SL	N/A	N/A	н	5	4	2	5	5	3	3	5	2	5	1	4
Zydeco 11.0	11' 2" 340 cm	27.75" 70 cm	48 lbs 22 kg	15" 38 cm	38.5" x 21.75" 98 x 55 cm	17" x 12" 43 x 30 cm	N/A	325 lbs 147 kg	М	CR	ΤV	ZT	SL	N/A	HC	н	5	4	2	5	5	3	3	5	2	5	2	4
Kaos 10.2	10' 2" 314 cm	26.5" 67 cm	43 lbs 20 kg	8.5" 22 cm	51.75" x 19.25" 131 x 49 cm	5" x 5" 13 x 13 cm	N/A	250 lbs 113 kg	М	PA	N/A	N/A	MI	SF	DP	N/A	4	5	4	4	5	5	4	2	3	1	1	1
PERFORMANCE TOURING																												
Alchemy 14.0 S	14' 427 cm	23" 58 cm	51 lbs 23 kg	13" 33 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	275 lbs 125 kg	Т	CF	Т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5	3
Alchemy 14.0 L	14' 427 cm	24" 61 cm	54 lbs 25 kg	14.25" 36 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	300 lbs 136 kg	Т	CF	т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5	3
SEAT R = Roto Molded Seating RT = Tank Style Roto Molded Seatin T = Thermoformed M = Molded-In	RA		Adjustable Adjustable	BACKREST PA = Padded CF = Comfort CR = Comfort		THIGH BRAC PA = Precisio AP = Adjusta TS = Thigh S ZT = Zone Kr	n Adjustable ble Padded	FOOT BR B = Bulkh FM = Foa AK = Adj SL = Slide MI = Mol	iead im ustable eLock	Кеере	rs	CE = TV =	Grip lo Conto	our Erge noform	o Ventec		PS =	Retract Premiu Surf Fins	m Ske		+ + +	SECUR H = Ha HATCH HC = H DP = D	amme H CON Hatch	rhead /ERS Cover			Good Great	

2		SOLA		1	6		1 1		1				2	4					9					1		ji (
					5					1	(THE REAL PROPERTY.				A TOTAL		100 H	2			
									Seat	Backrest/ Back Band	Seat Pad	Thigh Braces	Foor B race	Skeg/Rudder	Hatch Cover(s)	Security Bar	Beginner	Intermediate	Advanced	Stability	Maneuverability	Hull Speed	Tracking	Calm/Slow Moving	Class I - II Water	Day Trips	Weekend/Overnight Trips	Hunting/Fishing/Photo
BOAT CROSSOVER WHITEWATER		WIDTH	WEIGHT	DECK HEIGHT	COCKPIT	STERN HATCH	BOW HATCH	CAPACITY	Š	B	š	≓ _	Ĕ	Ś	Ï	š		You			The E	Boat			Th	ne Wate	ər	
Approach 9.0	9' 274 cm	25.25" 64 cm	38 lbs 17 kg	12" 30 cm	36.25" x 20" 92 x 51 cm	10.5" x 10.5" 27 x 27 cm	N/A	200 lbs 91 kg	М	PA	т	AP	AK	RS	HC	н	5	3	2	5	4	3	3	5	5	5	3	2
Approach 10.0	10' 305 cm	28" 71 cm	44 lbs 20 kg	13.5" 34 cm	38.75" x 21.25" 98 x 54 cm	10.5" x 10.5" 27 x 27 cm	N/A	275 lbs 125 kg	М	PA	т	AP	AK	RS	НС	н	5	3	2	5	4	3	3	5	5	5	3	2
Torrent 10.0	10' 1" 307 cm	30.5" 77 cm	48 lbs 22 kg	N/A	48.25" x 20.5" 123 x 52 cm	N/A	5" 13 cm	250 lbs 113 kg	М	N/A	N/A	TS	AK	N/A	DP	N/A	5	3	2	5	5	3	3	4	5	2	2	4
CROSSOVER MULTIWATER			5																									
Axis 10.5	10' 6" 320 cm	28.5" 72 cm	50 lbs 23 kg	16" 41 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	300 lbs 136 kg	Т	CR	ΤV	ZT	SL	RS	HC	н	5	4	3	5	4	4	3	5	4	5	3	4
Axis 12.0	12' 366 cm	27.5" 70 cm	55 lbs 25 kg	15.25" 39 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	350 lbs 159 kg	т	CR	τv	ZT	SL	RS	HC	н	5	4	3	5	4	4	3	5	4	5	3	4
ADVENTURE REC																												_
Zydeco 9.0	9' 1" 276 cm	28.5" 72 cm	36.5 lbs 17 kg	14.25" 36 cm	38.5" x 21.75" 98 x 55 cm	N/A	N/A	250 lbs 113 kg	М	CR	τv	ZT	SL	N/A	N/A	н	5	4	2	5	5	3	3	5	2	5	1	4
Zydeco 11.0	11' 2" 340 cm	27.75" 70 cm	48 lbs 22 kg	15" 38 cm	38.5" x 21.75" 98 x 55 cm	17" x 12" 43 x 30 cm	N/A	325 lbs 147 kg	М	CR	ΤV	ZT	SL	N/A	HC	н	5	4	2	5	5	3	3	5	2	5	2	4
Kaos 10.2	10' 2" 314 cm	26.5" 67 cm	43 lbs 20 kg	8.5" 22 cm	51.75" x 19.25" 131 x 49 cm	5" x 5" 13 x 13 cm	N/A	250 lbs 113 kg	М	PA	N/A	N/A	MI	SF	DP	N/A	4	5	4	4	5	5	4	2	3	1	1	1
PERFORMANCE TOURING																												
Alchemy 14.0 S	14' 427 cm	23" 58 cm	51 lbs 23 kg	13" 33 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	275 lbs 125 kg	Т	CF	Т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5	3
Alchemy 14.0 L	14' 427 cm	24" 61 cm	54 lbs 25 kg	14.25" 36 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	300 lbs 136 kg	Т	CF	т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5	3
SEAT R = Roto Molded Seating RT = Tank Style Roto Molded Seatin T = Thermoformed M = Molded-In	RA		Adjustable Adjustable	BACKREST PA = Padded CF = Comfort CR = Comfort		THIGH BRAC PA = Precisio AP = Adjusta TS = Thigh S ZT = Zone Kr	n Adjustable ble Padded	FOOT BR B = Bulkh FM = Foa AK = Adj SL = Slide MI = Mol	iead im ustable eLock	Кеере	rs	CE = TV =	Grip lo Conto	our Erge noform	o Ventec		PS =	Retract Premiu Surf Fins	m Ske		+ + +	SECUR H = Ha HATCH HC = H DP = D	amme H CON Hatch	rhead /ERS Cover			Good Great	

2		CERTE			è		1			1					N.		1	۰,	•		10			1	the second se		H Sea	~
												Contraction of the second		the state				No. of Concession, Name				A 153	2000	4 1		A.	5	
									at	Backrest/ Back Band	Seat Pad	Thigh Braces	Foor B race	Skeg/Rudder	Hatch Cover(s)	Security Bar	Beginner	Intermediate	Advanced	Stability	Maneuverability	Hull Speed	Tracking	Calm/Slow Moving	Class I - II Water	Day Trips	Weekend/Overnight Trips	Hunting/Fishing/Photo
		WIDTH	WEIGHT	DECK HEIGHT	COCKPIT	STERN HATCH	BOW HATCH	CAPACITY	Seat	Ba	Sei	Τhi	Po	Ské	На	Sei		You			The E	Boat			Th	ne Wate	ər	
Approach 9.0	9'	25.25"	38 lbs	12"	36.25" x 20"	10.5" x 10.5"	N/A	200 lbs	М	PA	т	AP	AK	RS	HC	н	5	3	2	5	4	3	3	5	5	5	3	2
Approach 10.0	274 cm 10' 305 cm	64 cm 28" 71 cm	17 kg 44 lbs 20 kg	30 cm 13.5" 34 cm	92 x 51 cm 38.75" x 21.25" 98 x 54 cm	27 x 27 cm 10.5" x 10.5" 27 x 27 cm	N/A	91 kg 275 lbs 125 kg	м	PA	т	AP	AK	RS	НС	н	5	3	2	5	4	3	3	5	5	5		2
Torrent 10.0	10' 1" 307 cm	30.5" 77 cm	48 lbs 22 kg	N/A	48.25" x 20.5" 123 x 52 cm	N/A	5" 13 cm	250 lbs 113 kg	м	N/A	N/A	TS	AK	N/A	DP	N/A	5	3	2	5	5	3	3	4	5	2	2	4
CROSSOVER MULTIWATER		77 сп.	LL NY		125 x 52 c		15 611	110 Kg																			_	_
Axis 10.5	10' 6" 320 cm	28.5" 72 cm	50 lbs 23 kg	16" 41 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	300 lbs 136 kg	т	CR	ΤV	ZT	SL	RS	HC	н	5	4	3	5	4	4	3	5	4	5	3	4
Axis 12.0	12' 366 cm	27.5" 70 cm	55 lbs 25 kg	15.25" 39 cm	38" x 21" 97 x 53 cm	17" x 12" 43 x 30 cm	N/A	350 lbs 159 kg	т	CR	τv	ZT	SL	RS	HC	н	5	4	3	5	4	4	3	5	4	5	3	4
ADVENTURE REC																										_		_
Zydeco 9.0	9' 1" 276 cm	28.5" 72 cm	36.5 lbs 17 kg	14.25" 36 cm	38.5" x 21.75" 98 x 55 cm	N/A	N/A	250 lbs 113 kg	м	CR	ΤV	ZT	SL	N/A	N/A	н	5	4	2	5	5	3	3	5	2	5	1	4
Zydeco 11.0	11' 2" 340 cm	27.75" 70 cm	48 lbs 22 kg	15" 38 cm	38.5" x 21.75" 98 x 55 cm	17" x 12" 43 x 30 cm	N/A	325 lbs 147 kg	м	CR	τv	ZT	SL	N/A	HC	н	5	4	2	5	5	3	3	5	2	5	2	4
Kaos 10.2	10' 2" 314 cm	26.5" 67 cm	43 lbs 20 kg		51.75" x 19.25" 131 x 49 cm	5" x 5" 13 x 13 cm	N/A	250 lbs 113 kg	м	PA	N/A	N/A	MI	SF	DP	N/A	4	5	4	4	5	5	4	2	3	1	1	1
PERFORMANCE TOURING																												
Alchemy 14.0 S	14' 427 cm	23" 58 cm	51 lbs 23 kg	13" 33 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	275 lbs 125 kg	т	CF	Т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5	3
Alchemy 14.0 L	14' 427 cm	24" 61 cm	54 lbs 25 kg	14.25" 36 cm	35" x 18.5" 89 x 47 cm	17" x 12" 43 x 30 cm	10.5" x 10.5" 27 x 27 cm	300 lbs 136 kg	т	CF	т	AP	SL	PS	HC	н	3	4	5	4	5	4	4	5	4	5	5	3
SEAT R = Roto Molded Seating RT = Tank Style Roto Molded Seat T = Thermoformed M = Molded-In	BAC RA =	ACK BAND a = Ratchet A = Padded A		BACKREST PA = Padded / CF = Comfort CR = Comfort			on Adjustable able Padded	FOOT BR B = Bulkh FM = Foa AK = Adji SL = Slide MI = Mole	nead am ustable eLock		ers	G = 0 CE = TV =		our Ergo noform			PS =	i Retract Premiu Surf Fin	m Ske		H H	H = Ha HATCH HC = H	RITY BA ammer H COV Hatch (Deck P	rhead /ERS Covers			Good Great	



Colors may vary slightly from those shown in catalog. Color combinations (Lava, Octane, Solar, Storm) will vary from those shown in catalog and are unique for each boat we produce. Variations in color are not not covered by warranty.

Polyethylene expands and contracts with changes in temperature and humidity. Actual dimensions can vary from those shown in the Specifications Chart due to molding process and/or exposure to extreme hot or cold temperatures. Slight variations are not covered by warranty.

Specifications and features are subject to change.











GLOBAL HEADQUARTERS DAGGER 575 Mauldin Road, Suite 200 Greenville, SC 29607 Tel. 888-52 KAYAK (888-525-2925) Fax: 888-373-1220 www.dagger.com

INTERNATIONAL JAPAN Mont Bell Tel. +81 (0) 6 6531 4765 e-mail: int@montbell.com

RUSSIA Three Elements, LLC Tel. +7 (495) 232-97-91 e-mail: df@paddler.ru

AUSTRALIA Paddle Pro Tel. +61 (0) 3 9546 7486 e-mail: sales@paddlepro.com.au

© 2013 Dagger is a registered trademark of Confluence Watersports.



Mixed Sources

ISRAEL **Optimist Marine** Tel. +972-522-694862 e-mail: optimist@optimist.co.il

CHILE Rivers, Lakes, Oceans Tel. +56 9 85403329 e-mail: ian@riverslakesoceans.com

ARGENTINA, URUGUAY Broni S.A. e-mail: info@daggerkayaks.com.ar





COSTA RICA Rivers, Lakes, Oceans Tel. +506 833 6205 e-mail: riverslakesoceans@gmail.com

SOUTH KOREA Songkang Canoe School Tel. +82 33 461 1659 e-mail: paddler66@yahoo.co.kr





SOUTH AFRICA Canoe & Kayak World Tel. +27 (0) 11 807 8111 e-mail: info@canoekayak.co.za

58000241